Tell us whether you accept cookies

We use <u>cookies to collect information (/cookies)</u> about how you use the MOT history service. We use this information to make the service work as well as possible.

Set cookie preferences (/cookie-preferences)



Check MOT history (https://www.gov.uk/check-mot-history)

This vehicle's MOT has expired

You can be fined up to £1000 for driving without a valid MOT This vehicle may be MOT exempt, for more information refer to

K179NNJ

LAND ROVER DEFENDER

Colour Fuel type Date registered

Green Diesel 31 March 1993

MOT expired on

1 March 2020

MOT history

Check mileage recorded at test, MOT expiry date, defects and advisories, and view test certificate

Date tested Mileage MOT test number 2 March 2019 110,231 miles 7342 1950 8539

PASS Test location Expiry date 1 March 2020

Monitor and repair if necessary (advisories):

 Nearside Front Brake pipe corroded, covered in grease or other material hose to caliper (1.1.11 (c))

- Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Towbar slightly corroded within 30cm of towbar mounting (6.1.6 (i) (i))
- Nearside Front Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))

Date tested
11 February 2019
FAIL

Mileage 110,231 miles

MOT test number **6336 6049 4201**

Test location

Repair immediately (major defects):

- Offside Front Seat belt anchorage prescribed area strength or continuity significantly reduced (7.1.1 (a) (i))
- Nearside Rear Direction indicator not working (4.4.1 (a)
 (ii))
- Nearside Side repeater not working (4.4.1 (a) (ii))
- Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Offside Front Brake pipe excessively corroded (1.1.11 (c))
- Offside Drag link end ball joint dust cover insecure so that it no longer prevents the ingress of dirt (2.1.3 (g) (ii))
- Rear Prop shaft joint excessively worn (6.1.7 (c) (i))
- Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength anti roll bar mount (5.3.6 (a) (i))

Monitor and repair if necessary (advisories):

- Nearside Front Brake pipe corroded, covered in grease or other material hose to caliper (1.1.11 (c))
- Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Towbar slightly corroded within 30cm of towbar mounting (6.1.6 (i) (i))
- Nearside Front Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))
- parking brake dragging

The MOT test changed on 20 May 2018

Defects are now categorised according to their severity – dangerous, major, and minor.

Date tested 1 May 2018 PASS Mileage

109,736 miles

MOT test number **3106 1741 7325**

Test location Expiry date

30 April 2019

Advisory notice item(s)

- Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Nearside Front Brake pipe slightly corroded (3.6.B.2c)
- Offside Body has slight corrosion inner sill (6.1.B.2)
- Vehicle structure slightly corroded within 30cm of towbar mounting (6.6.6)

Date tested
19 April 2018

FAIL

Mileage 109.736 miles MOT test number

2628 0548 4212

Test location

Reason(s) for failure

- Driver's door does not latch securely closed (6.2.B.1a)
- Windscreen washer provides insufficient washer liquid (8.2.3)
- Nearside Side repeater not working (1.4.A.2c)
- Nearside Rear Direction indicator not working (1.4.A.2c)
- Offside Front Steering component mounting prescribed area is excessively corroded chassis leg (2.2.C.1h)
- Offside Drag link end ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.2.C.1c)
- Rear Exhaust system not adequately supported (7.1.1)
- Nearside Front Suspension component mounting prescribed area is excessively corroded out rigger (2.4.A.3)
- Offside Rear Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2)
- Nearside Track rod end ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.2.C.1c)

Advisory notice item(s)

- Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Nearside Front Brake pipe slightly corroded (3.6.B.2c)
- Offside Body has slight corrosion inner sill (6.1.B.2)

 Vehicle structure slightly damaged within 30cm of towbar mounting (6.6.6)

Date tested

4 November 2016

PASS

Mileage MOT test number **108,742 miles 7022 0622 2638**

Test location Expiry date

3 November 2017

Advisory notice item(s)

• Front Brake pad(s) wearing thin (3.5.1g)

Nearside Rear wheel bearing has slight play (2.6.2)

Date tested

4 November 2015

PASS

Mileage MOT test number **925,580 miles 5464 5991 0610**

Test location Expiry date

3 November 2016

Date tested

29 October 2015

FAIL

Mileage 108,179 miles MOT test number **5315 4810 8106**

Test location

Reason(s) for failure

- Nearside Front Side repeater not working (1.4.A.2c)
- Nearside Front Windscreen washer provides insufficient washer liquid (8.2.3)
- Offside Front Windscreen washer provides insufficient washer liquid (8.2.3)
- Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Nearside Rear Registration plate lamp shows direct white light to the rear (1.1.C.1f)
- Offside Front Headlamp aim too low (1.8)
- Nearside Front Exhaust system not adequately supported (7.1.1)
- Nearside Front Exhaust has a major leak of exhaust gases (7.1.2)
- Offside Front Brake pipe excessively corroded (3.6.B.2c)

Date tested

14 November 2013

PASS

Mileage MOT test number **106,341 miles 7491 6881 3364**

Test location Expiry date

13 November 2014

Advisory notice item(s)

- Nearside Front Shock absorber has a light misting of oil (2.7.3)
- Offside Front Shock absorber has a light misting of oil (2.7.3)
- Oil leak

Date tested

12 November 2013

FAIL

Mileage MOT test number **106,331 miles 9266 8671 3329**

Test location

Reason(s) for failure

- Offside Rear passenger door cannot be opened from outside the vehicle (6.2.B.1c)
- Nearside Front Brake pipe excessively corroded (3.6.B.2c)
- Offside Front Brake pipe excessively corroded (3.6.B.2c)
- Windscreen washer provides insufficient washer liquid (8.2.3)
- Parking brake lever has no reserve travel (3.1.6b)
- Brake pedal creeps down when held under pressure (3.3.B.1a)

Advisory notice item(s)

- Nearside Front Shock absorber has a light misting of oil (2.7.3)
- Offside Front Shock absorber has a light misting of oil (2.7.3)
- Nearside Rear Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.C.1a)
- Offside Rear Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.C.1a)
- Oil leak

Date tested Mileage MOT test number

2 November 2012 PASS

103,674 miles

6867 8770 2388

Test location

Expiry date

1 November 2013

Advisory notice item(s)

 Offside Front Seat belt damaged but webbing not significantly weakened (5.2.2a)

Oil leak

Date tested 2 March 2011 PASS

Mileage

MOT test number

98,987 miles

3495 8116 1037

Test location

Expiry date

1 March 2012

Advisory notice item(s)

• brake pedal rubber worn

• unable to open n/s/r door

· couldnt check centre rear seat belt

driver seat belt frayed

• chip in windscreen

corrosion starting to o/s bulk head area

 corrosion to both rear body mountings and n/s/r inner wheel arch area

oil leak

play in n/s/r anti-roll bar d-bush

• both front brake hoses deteriating

Date tested
22 January 2010
PASS

Mileage **93,957 miles**

MOT test number

_

1306 1222 0498

Test location

Expiry date

31 January 2011

Date tested

26 January 2009

PASS

Mileage

89,078 miles

MOT test number **5839 8632 9069**

Test location

Expiry date

31 January 2010

Date tested

30 January 2008

Mileage

86,631 miles

MOT test number 6028 9063 8035

F.

Test location

Expiry date



31 January 2009

Advisory notice item(s)

• Rear wheel bearing has slight play (2.6.2)

Offside Front Tyre worn close to the legal limit (4.1.E.1)

Date tested

28 January 2008

FAIL

Mileage **86.629 miles**

MOT test number **7544 4812 8007**

Test location

Reason(s) for failure

 Front passenger door cannot be opened from inside the vehicle (6.2.B.1b)

- Nearside Rear Exhaust has part of the system excessively deteriorated (7.1.1a)
- Exhaust emits an excessive level of metered smoke for a turbo charged engine (7.4.B.3b)
- Offside Front Fuel system component leaking (7.2.3)
- Steering arm has relative movement at its fixings (2.2.B.1h)
- Offside Front wheel bearing has excessive play (2.5.A.3c)
- rear brake application uneven (3.7.B.2)
- rear brakes release unevenly (3.7.B.4)

Advisory notice item(s)

• Rear wheel bearing has slight play (2.6.2)

• Offside Front Tyre worn close to the legal limit (4.1.E.1)

 Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

Date tested

30 January 2007

PASS

Mileage

MOT test number

81,569 miles

6348 7063 7039

Test location

Expiry date

31 January 2008

Date tested

29 January 2007

FAIL

Mileage

81,569 miles

MOT test number **5320 1992 7059**

Test location

Reason(s) for failure

- Rear Registration plate lamp not working (1.1.5c)
- Offside Rear Stop lamp not working (1.2.1b)
- Nearside Front Windscreen wiper blade deteriorated (8.2.2)
- Offside Front Windscreen wiper blade deteriorated (8.2.2)
- Offside Front Track rod end ball joint has excessive play (2.2.B.1f)
- Front Brake pad(s) less than 1.5 mm thick (3.5.1g)
- Parking brake lever has no reserve travel (3.1.6b)
- Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Date tested **1 February 2006**

PASS

Mileage

75,602 miles

MOT test number

972472236051

Test location

Expiry date

31 January 2007

Date tested **24 January 2006**

FAIL

Mileage

75,602 miles

MOT test number **89311482 6095**

Test location

Reason(s) for failure

- Brake pedal spongy (3.3.B.1b)
- Registration plate lamp not working (1.1.5c)
- Nearside Rear position lamp(s) excessively deteriorated so that it is not visible from a reasonable distance (1.1.A.3d)
- Nearside Front Shock absorber has a serious fluid leak (2.7.3)
- Offside Front Shock absorber has a serious fluid leak (2.7.3)
- Rear Trailing arm rubber mounting bonding deteriorated resulting in excessive movement (2.4.G.2)
- Offside Rear Trailing arm rubber mounting bonding deteriorated resulting in excessive movement (2.4.G.2)
- Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Nearside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm

of the body mountings (6.1.B.2)

 Offside Rear Vehicle structure has an unsatisfactory modification, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)

Outstanding vehicle recalls

Check if LAND ROVER DEFENDER K179NNJ has outstanding recalls

No outstanding safety recalls found

This information is provided by the vehicle manufacturer. If you think the information is wrong, contact the vehicle manufacturer's dealership. Please do not contact the DVSA, as we are not able to change the recall status.

Was this vehicle recall information useful to you? so we can improve the service.

Using Vehicle Recall Information

DVSA and its suppliers try to ensure that the information published on this website is accurate. However, as the information is aggregated from various sources, we can't accept any liability for the accuracy of content. This service provides an indicative check for outstanding safety recalls as at the date specified. Visitors and customers who rely on this information do so at their own risk. Visitors and customers are strongly encouraged to independently verify the information before acting or deciding not to act on that information.

The recalls data is obtained through a third party. The terms and conditions for the data can be found on by selecting the 'terms and conditions' link.